

HAZARDOUS SAMPLE

All sample received at Fitz Scientific require Material Safety Data. If no MSDS, please complete the following hards form and enclose with samples

CHEMICAL HAZARDS		Yes		No		Other	
Irritant		<input type="radio"/>		<input type="radio"/>		<input type="radio"/>	
Corrosive		<input type="radio"/>		<input type="radio"/>		<input type="radio"/>	
Flammable		<input type="radio"/>		<input type="radio"/>		<input type="radio"/>	
Explosive		<input type="radio"/>		<input type="radio"/>		<input type="radio"/>	
Volatile		<input type="radio"/>		<input type="radio"/>		<input type="radio"/>	
Toxic		<input type="radio"/>		<input type="radio"/>		<input type="radio"/>	
Carcinogenic		<input type="radio"/>		<input type="radio"/>		<input type="radio"/>	
Highly Reactive		<input type="radio"/>		<input type="radio"/>		<input type="radio"/>	
Unknown		<input type="radio"/>		<input type="radio"/>		<input type="radio"/>	
PHYSICAL HAZARDS							
Pressurised		<input type="radio"/>		<input type="radio"/>		<input type="radio"/>	
Temperature Control		<input type="radio"/>		<input type="radio"/>		<input type="radio"/>	
Unknown		<input type="radio"/>		<input type="radio"/>		<input type="radio"/>	
OTHER							
Micro-organisms		<input type="radio"/>		<input type="radio"/>		<input type="radio"/>	
Blood / Blood Products		<input type="radio"/>		<input type="radio"/>		<input type="radio"/>	
Controlled Substance		<input type="radio"/>		<input type="radio"/>		<input type="radio"/>	
Not fully tested - treat as hazardous		<input type="radio"/>		<input type="radio"/>		<input type="radio"/>	

NOT APPLICABLE FOR PRIVATE DRINKING WATER TESTING